

Retail Food Inspection Report


Floyd County Health Department
Telephone (812) 948-4726

Establishment Name JIMMY JOHN'S #1802	Telephone Number Est 812-944-2700 Own 617-519-3355	Date of Inspection 11/23/2020	ID#
Address 2221 STATE ST. NEW ALBANY, IN 47150, NEW ALBAN			
Owner 83 SUBS, LLC/ JAY PAGE	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up 11/30/2020	Released 11/23/2020
Owner's Address 5308 ROCK RIDGE DR LOUISVILLE, KY 40241-		Menu Type 1 <input type="checkbox"/> 2 <input checked="" type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/>	
Person in Charge JODY BRANHAM			
Responsible Person's Email JODYLEE@83SUBS.COM			
Certified Food Handler JODY BRANHAM			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
118	X			Observed establishment without a certified food protection manager. Must be 5-year, food safety protection manager, and proctored exam.	1/4/21
177		X		Observed cases of bread and chips stored on walk-in freezer floor.	TODAY
218		X	X	Observed bulk ice machine to be leaking. This has been a reoccurring issue. Machine should be repaired or replaced prior to follow-up inspection. An extension may and must be requested if unable to complete prior to 11/30/20.	1 WEEK
239		X		Observed clean mop heads stored so that they are touching single-use items on storage rack.	TODAY
243		X		Observed case of napkins stored on BOH floor.	TODAY
245		X		Observed damp sanitizer rags allowed to dry/outside of sanitizer solution. If using a spray bottle than rags must be single-use and disposed of after use. Otherwise switch to a sanitizer bucket.	TODAY
297		X		Observed tea filter bulb to be calcified/with hard water build-up.	TODAY
297		X		Observed pink mildew on backside of lobby ice chute.	TODAY
297		X		Observed bulk ice machine to have moldy interior ceiling.	TODAY
392		X		Observed shared dumpster to be left open. PIC/owner advised to speak with neighbors about the issue.	TODAY
433		X		Observed mop not properly hung to dry after use.	TODAY

Summary of Violations C 1 NC 10 R 1

Received by (name and title printed):	Inspected by (name and title printed): A.J. Ingram CHIEF FOOD SPECIALIST
Received by (signature):	Inspected by (signature): 
cc:	cc: